



**Pastaza Quick N' Easy Vest (B124)
Using Cascade Pastaza Pattern**



PASTAZA QUICK N' EASY VEST (B124)

MATERIALS:

Cascade Pastaza 3, 4, 4 sks
#10 ½ needles
5 buttons

SIZES:

FINISHED BUST 34", 38", 42"
LENGTH 20"
TENSION=4 STS = 1"

T2R – SKIP 1ST ST AND K INTO FRONT OF 2ND ST, THEN K 1ST ST AND SLIDE BOTH OFF THE NEEDLE.

T2L – SKIP 1ST ST AND KNIT INTO FRONT 2ND ST FROM THE BACK.

SC – SINGLE CROCHET REV.SC – REVERSE SINGLE CROCHET

BACK:

CAST ON 66, 74, 86 STS. AND WORK IN ST.ST. FOR 2 ½" ENDING WITH A PURL ROW.

1. K 31, 35, 41 STS, T2R, T2L, K 31, 35, 41.
2. ALL WRONG SIDE ROWS, WORK STS AS THEY ARE.
3. K 27, 31, 35, T2R 2 TIMES, T2L 2 TIMES, K 27, 31, 35.
5. K 25, 27, 29, T2R 3 TIMES, T2L 3 TIMES, K 25, 27, 29.
7. AS 5.
9. AS 5.
11. AS 3.
13. AS 1.

CONT. IN ST.ST UNTIL BACK MEASURES 10". SHAPE ARM HOLES AS FOLLOWS: BIND OFF 3, 5, 7 STS AT THE BEGINNING OF THE NEXT 2 ROWS. DEC. 1 ST AT ARM EDGE ONLY EVERY RIGHT SIDE ROW 7 TIMES. CONTINUE FOR 8" ABOVE ARM BIND OFF. NEXT ROW:

1. K5, T2R, K28/ 32/ 36 STS, T2L, K5.
2. WORK STS AS THEY ARE.
3. K3, T2R 2 TIMES, K24/ 28/ 32, T2L 2 TIMES
5. AS 3
7. AS 3
9. AS 3
11. AS 1

BIND OFF ALL STS ON THE WRONG SIDE ROW.

LEFT FRONT:

CAST ON 35, 39, 41 STS AND WORK IN ST ST FOR 2 ½", ENDING ON A WRONG SIDE ROW.

1. K19, 20, 21 STS. T2R, T2L, KNIT TO END.
2. AND ALL EVEN ROWS, WORK STS AS THEY ARE.
3. K 17, 18, 19 STS, T2R 2 TIMES, T2L 2 TIMES, KNIT TO END.
5. AS 3.
7. AS 3.
9. AS 1.

CONTINUE UNTIL FRONT MEASURES THE SAME AS THE BACK TO THE ARM HOLE. BIND OFF 3, 5, 7 STS AT THE BEGINNING OF THE ROW. DECREASE ON THE RIGHT SIDES ONLY EVERY OTHER ROW 1 ST 7 TIMES. AT 7" ABOVE ARM HOLE BIND OFF, AT THE BEGINNING OF THE WRONG SIDE ROW, BIND OFF 6 STS 1 TIME, 2 STS 1 TIME & 1 ST 3 TIMES. AT THE SAME TIME AT 8" ABOVE ARM HOLE BIND OFF BEGIN SHOULDER CABLE AS FOLLOWS:

1. K5, T2R, T2L, K TO END REMEMBERING TO DECREASE FOR NECK EDGE.
2. WORK STS AS THEY ARE.
3. K3, T2R 2 TIMES, T2L 2 TIMES, KNIT TO END.
5. AS 3.
7. AS 3.
9. AS 1.

BIND OFF ALL STS ON THE WRONG SIDE ROW.

RIGHT FRONT:

AS FOR LEFT FRONT FOR 2 1/2".

1. K12, 13, 14 STS, T2R, T2L, KNIT TO END.
2. ALL EVEN ROWS, WORK STS AS THEY ARE.
3. K10, 11, 12 STS, T2R 2 TIMES, T2L 2 TIMES, KNIT TO END
5. AS 3.
7. AS 3.
9. AS 1.

CONTINUE UNTIL THE SAME MEASUREMENT AS THE LEFT FRONT. SHAPE THE ARM HOLES AS FOR LEFT FRONT DOING THE BIND OFF ON THE WRONG SIDE ROW-THUS REVERSING THE SHAPING FROM THE LEFT FRONT- CONTINUE UNTIL IT'S TIME TO BIND OFF FOR THE NECK EDGE. BIND OFF ON THE RIGHT SIDE OF WORK AND WORK DECREASES AS FOR LEFT FRONT REMEMBERING TO WORK THE CABLE PATTERN.

SEW SIDE & SHOULDER SEAMS TOGETHER.

USING CROCHET HOOK, SC AROUND ARM HOLE 1 ROUND. REV. SC AROUND SAME ARMHOLE FOR 1 ROUND AND FASTEN OFF. REPEAT FOR THE OTHER ARM HOLE.

WORK SC AROUND ALL EDGES STARTING AT A BOTTOM SIDE SEAM AND GOING AROUND THE ENTIRE VEST. WORK 1 ROUND OF REV SC AROUND THE ENTIRE VEST REMEMBERING TO PLACE 7 BOTTOM LOOPS ON THE RIGHT FRONT EDGE EVENLY SPACED AS YOU GO. FASTEN OFF AND TUCK IN ENDS.

STEAMING OR BLOCKING IS RECOMMENDED TO EVEN OUT THE CROCHET EDGES.